# branchiootorenal/branchiootic syndrome

Branchiootorenal (BOR) syndrome is a condition that disrupts the development of tissues in the neck and causes malformations of the ears and kidneys. The signs and symptoms of this condition vary widely, even among members of the same family. Branchiootic (BO) syndrome includes many of the same features as BOR syndrome, but affected individuals do not have kidney abnormalities. The two conditions are otherwise so similar that researchers often consider them together (BOR/BO syndrome or branchiootorenal spectrum disorders).

"Branchio-" refers to the second branchial arch, which is a structure in the developing embryo that gives rise to tissues in the front and side of the neck. In people with BOR/BO syndrome, abnormal development of the second branchial arch can result in the formation of masses in the neck called branchial cleft cysts. Some affected people have abnormal holes or pits called fistulae in the side of the neck just above the collarbone. Fistulae can form tunnels into the neck, exiting in the mouth near the tonsil. Branchial cleft cysts and fistulae can cause health problems if they become infected, so they are often removed surgically.

"Oto-" and "-otic" refer to the ear; most people with BOR/BO syndrome have hearing loss and other ear abnormalities. The hearing loss can be sensorineural, meaning it is caused by abnormalities in the inner ear; conductive, meaning it results from changes in the small bones in the middle ear; or mixed, meaning it is caused by a combination of inner ear and middle ear abnormalities. Some affected people have tiny holes in the skin or extra bits of tissue just in front of the ear. These are called preauricular pits and preauricular tags, respectively.

"Renal" refers to the kidneys; BOR syndrome (but not BO syndrome) causes abnormalities of kidney structure and function. These abnormalities range from mild to severe and can affect one or both kidneys. In some cases, end-stage renal disease (ESRD) develops later in life. This serious condition occurs when the kidneys become unable to filter fluids and waste products from the body effectively.

#### Frequency

Researchers estimate that BOR/BO syndrome affects about 1 in 40,000 people.

## **Genetic Changes**

Mutations in three genes, *EYA1*, *SIX1*, and *SIX5*, have been reported in people with BOR/BO syndrome. About 40 percent of people with this condition have a mutation in the *EYA1* gene. *SIX1* gene mutations are a much less common cause of the disorder. *SIX5* gene mutations have been found in a small number of people with BOR

syndrome, although researchers question whether mutations in this gene cause the condition. Some affected individuals originally reported to have *SIX5* gene mutations were later found to have *EYA1* gene mutations as well, and researchers suspect that the *EYA1* gene mutations may be the actual cause of the condition in these people.

The proteins produced from the *EYA1*, *SIX1*, and *SIX5* genes play important roles in development before birth. The EYA1 protein interacts with several other proteins, including SIX1 and SIX5, to regulate the activity of genes involved in many aspects of embryonic development. Research suggests that these protein interactions are essential for the normal formation of many organs and tissues, including the second branchial arch, ears, and kidneys. Mutations in the *EYA1*, *SIX1*, or *SIX5* gene may disrupt the proteins' ability to interact with one another and regulate gene activity. The resulting genetic changes affect the development of organs and tissues before birth, which leads to the characteristic features of BOR/BO syndrome.

Some people with BOR/BO syndrome do not have an identified mutation in any of the genes listed above. In these cases, the cause of the condition is unknown.

#### Inheritance Pattern

BOR/BO syndrome is inherited in an autosomal dominant pattern, which means one copy of the altered gene in each cell is sufficient to cause the disorder. In about 90 percent of cases, an affected person inherits the mutation from one affected parent. The remaining cases result from new mutations in the gene and occur in people with no history of the disorder in their family.

#### Other Names for This Condition

- BO syndrome
- BOR
- BOR syndrome
- BOS
- branchio-oto-renal syndrome
- branchio-otorenal dysplasia
- branchio-otorenal syndrome
- branchiootic syndrome
- branchiootorenal dysplasia
- branchiootorenal spectrum disorders
- branchiootorenal syndrome
- Melnick-Fraser syndrome

# **Diagnosis & Management**

## **Genetic Testing**

- Genetic Testing Registry: Branchiootic syndrome https://www.ncbi.nlm.nih.gov/qtr/conditions/C1865143/
- Genetic Testing Registry: Branchiootic syndrome 2 https://www.ncbi.nlm.nih.gov/gtr/conditions/C1852718/
- Genetic Testing Registry: Branchiootic syndrome 3 https://www.ncbi.nlm.nih.gov/gtr/conditions/C1842124/
- Genetic Testing Registry: Branchiootorenal syndrome 2 https://www.ncbi.nlm.nih.gov/gtr/conditions/C1970479/
- Genetic Testing Registry: Melnick-Fraser syndrome https://www.ncbi.nlm.nih.gov/gtr/conditions/C0265234/

# Other Diagnosis and Management Resources

- GeneReview: Branchiootorenal Spectrum Disorders https://www.ncbi.nlm.nih.gov/books/NBK1380
- MedlinePlus Encyclopedia: Branchial Cleft Cyst https://medlineplus.gov/ency/article/001396.htm
- MedlinePlus Encyclopedia: End-Stage Kidney Disease https://medlineplus.gov/ency/article/000500.htm

#### General Information from MedlinePlus

- Diagnostic Tests
   https://medlineplus.gov/diagnostictests.html
- Drug Therapy https://medlineplus.gov/drugtherapy.html
- Genetic Counseling https://medlineplus.gov/geneticcounseling.html
- Palliative Care https://medlineplus.gov/palliativecare.html
- Surgery and Rehabilitation https://medlineplus.gov/surgeryandrehabilitation.html

#### **Additional Information & Resources**

#### MedlinePlus

- Encyclopedia: Branchial Cleft Cyst https://medlineplus.gov/ency/article/001396.htm
- Encyclopedia: End-Stage Kidney Disease https://medlineplus.gov/ency/article/000500.htm
- Health Topic: Hearing Disorders and Deafness https://medlineplus.gov/hearingdisordersanddeafness.html
- Health Topic: Kidney Diseases https://medlineplus.gov/kidneydiseases.html

#### Genetic and Rare Diseases Information Center

- Branchiootic syndrome https://rarediseases.info.nih.gov/diseases/10148/branchiootic-syndrome
- Branchiootorenal syndrome https://rarediseases.info.nih.gov/diseases/10147/branchiootorenal-syndrome

#### **Educational Resources**

- Disease InfoSearch: Branchiootic Syndrome http://www.diseaseinfosearch.org/Branchiootic+Syndrome/955
- Disease InfoSearch: Branchiootorenal Syndrome 1 http://www.diseaseinfosearch.org/Branchiootorenal+Syndrome+1/956
- Disease InfoSearch: Branchiootorenal Syndrome 2 http://www.diseaseinfosearch.org/Branchiootorenal+Syndrome+2/957
- Hereditary Hearing Loss Homepage http://hereditaryhearingloss.org/main.aspx?c=.HHH&n=86525
- MalaCards: branchiootorenal spectrum disorders http://www.malacards.org/card/branchiootorenal\_spectrum\_disorders
- MalaCards: branchiootorenal/branchiootic syndrome http://www.malacards.org/card/branchiootorenal\_branchiootic\_syndrome
- Orphanet: BOR syndrome http://www.orpha.net/consor/cgi-bin/OC Exp.php?Lng=EN&Expert=107
- Orphanet: Branchio-otic syndrome http://www.orpha.net/consor/cgi-bin/OC\_Exp.php?Lng=EN&Expert=52429

## Patient Support and Advocacy Resources

- American Kidney Fund http://www.kidneyfund.org
- American Society for Deaf Children http://deafchildren.org/
- National Association of the Deaf https://www.nad.org/
- National Kidney Foundation https://www.kidney.org/
- National Organization for Rare Disorders (NORD)
   https://rarediseases.org/rare-diseases/branchio-oto-renal-syndrome/

#### GeneReviews

 Branchiootorenal Spectrum Disorders https://www.ncbi.nlm.nih.gov/books/NBK1380

### Scientific Articles on PubMed

PubMed

https://www.ncbi.nlm.nih.gov/pubmed?term=%28%28branchiootorenal%5BTIAB%5D%29+OR+%28branchio-oto-renal%5BTIAB%5D%29+OR+%28branchio-otorenal%5BTIAB%5D%29+OR+%28branchio-otic%5BTIAB%5D%29+OR+%28branchiootic%5BTIAB%5D%29%29+AND+english%5Bla%5D+AND+human%5Bmh%5D+AND+%22last+1800+days%22%5Bdp%5D

#### **OMIM**

- BRANCHIOOTIC SYNDROME 1 http://omim.org/entry/602588
- BRANCHIOOTIC SYNDROME 2 http://omim.org/entry/120502
- BRANCHIOOTIC SYNDROME 3 http://omim.org/entry/608389
- BRANCHIOOTORENAL SYNDROME 1 http://omim.org/entry/113650
- BRANCHIOOTORENAL SYNDROME 2 http://omim.org/entry/610896

## **Sources for This Summary**

- Brophy PD, Alasti F, Darbro BW, Clarke J, Nishimura C, Cobb B, Smith RJ, Manak JR. Genome-wide copy number variation analysis of a Branchio-oto-renal syndrome cohort identifies a recombination hotspot and implicates new candidate genes. Hum Genet. 2013 Dec;132(12): 1339-50. doi: 10.1007/s00439-013-1338-8. Epub 2013 Jul 13.
   Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/23851940
   Free article on PubMed Central: https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3830662/
- Chang EH, Menezes M, Meyer NC, Cucci RA, Vervoort VS, Schwartz CE, Smith RJ. Branchio-oto-renal syndrome: the mutation spectrum in EYA1 and its phenotypic consequences. Hum Mutat. 2004 Jun;23(6):582-9.
   Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/15146463
- GeneReview: Branchiootorenal Spectrum Disorders https://www.ncbi.nlm.nih.gov/books/NBK1380
- Hoskins BE, Cramer CH, Silvius D, Zou D, Raymond RM, Orten DJ, Kimberling WJ, Smith RJ, Weil D, Petit C, Otto EA, Xu PX, Hildebrandt F. Transcription factor SIX5 is mutated in patients with branchio-oto-renal syndrome. Am J Hum Genet. 2007 Apr;80(4):800-4. Epub 2007 Feb 22. Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/17357085
   Free article on PubMed Central: https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1852719/
- Kochhar A, Fischer SM, Kimberling WJ, Smith RJ. Branchio-oto-renal syndrome. Am J Med Genet A. 2007 Jul 15;143A(14):1671-8. Review.
   Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/17238186
- Kochhar A, Orten DJ, Sorensen JL, Fischer SM, Cremers CW, Kimberling WJ, Smith RJ. SIX1 mutation screening in 247 branchio-oto-renal syndrome families: a recurrent missense mutation associated with BOR. Hum Mutat. 2008 Apr;29(4):565. doi: 10.1002/humu.20714.
   Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/18330911
- Krug P, Morinière V, Marlin S, Koubi V, Gabriel HD, Colin E, Bonneau D, Salomon R, Antignac C, Heidet L. Mutation screening of the EYA1, SIX1, and SIX5 genes in a large cohort of patients harboring branchio-oto-renal syndrome calls into question the pathogenic role of SIX5 mutations. Hum Mutat. 2011 Feb;32(2):183-90. doi: 10.1002/humu.21402.
   Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/21280147
- Orten DJ, Fischer SM, Sorensen JL, Radhakrishna U, Cremers CW, Marres HA, Van Camp G, Welch KO, Smith RJ, Kimberling WJ. Branchio-oto-renal syndrome (BOR): novel mutations in the EYA1 gene, and a review of the mutational genetics of BOR. Hum Mutat. 2008 Apr;29(4):537-44. doi: 10.1002/humu.20691.
   Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/18220287
- Ruf RG, Xu PX, Silvius D, Otto EA, Beekmann F, Muerb UT, Kumar S, Neuhaus TJ, Kemper MJ, Raymond RM Jr, Brophy PD, Berkman J, Gattas M, Hyland V, Ruf EM, Schwartz C, Chang EH, Smith RJ, Stratakis CA, Weil D, Petit C, Hildebrandt F. SIX1 mutations cause branchio-oto-renal syndrome by disruption of EYA1-SIX1-DNA complexes. Proc Natl Acad Sci U S A. 2004 May 25; 101(21):8090-5. Epub 2004 May 12.

Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/15141091
Free article on PubMed Central: https://www.ncbi.nlm.nih.gov/pmc/articles/PMC419562/

## Reprinted from Genetics Home Reference:

https://ghr.nlm.nih.gov/condition/branchiootorenal-branchiootic-syndrome

Reviewed: March 2016 Published: March 21, 2017

Lister Hill National Center for Biomedical Communications U.S. National Library of Medicine National Institutes of Health Department of Health & Human Services